
# DATASHEET BLUETOWN SOLAR AND ACCESSORIES FOR POWER UNIT LITE





**BLUETOWN Solar and accessories for Power Unit Lite** are designed to power remote telecommunication installations with a smaller footprint and energy consumption.

They are particularly recommended to work with the **BLUE-TOWN Power Unit Lite** (BT- 830-00052) but are compatible with other manufacturer's PV charging systems as well.





### Versatile

Two options available:

100W solar kit for the Power Unit Lite 150W. Ideal for powering one networked device such as a Wi-Fi access point or microwave antenna.

200 W solar kit for the Power Unit Lite 300 W. Ideal for powering two networked devices, such as a Wi-Fi access point and a microwave antenna.

### **Quick Deployment**

The Pole Mount for BLUETOWN Solar 100W/200W has been designed specifically to the dimensions of the BLUE-TOWN solar panels, with quality, cost and deployment efficiency in mind.

### **BLUETOWN Solar 100W/200W includes:**

- Solar panel(s)
- 90 cm power cables with MC4 connectors
- Complete solar pole mounting frame
- MC4 branch connectors for parallel wiring, if applicable

## DATASHEET BLUETOWN SOLAR AND ACCESSORIES FOR POWER UNIT LITE



#### **BLUETOWN SOLAR 100W/200W**

Single panel or array of two solar panels rated at 100W and 200W respectively. Contains cable extensions with MC4 connectors compatible with BLUETOWN power cabinets.

BLUETOWN SO Technical speci	DLAR 100W/200W ifications	
SOLAR PANELS	PANEL QUANTITY:	<ul><li> 100W: one panel</li><li> 200W: two panels</li></ul>
	ELECTRICAL (EACH):	<ul> <li>Voc: 23.4V</li> <li>Isc: 5.35A</li> <li>Vmp: 20V</li> <li>Imp: 5.05A</li> <li>Pmax: 100W</li> </ul>
	PHYSICAL:	<ul> <li>36 monocrystalline cells</li> <li>Front: high transmission rate tempered glass</li> <li>IP67 junction box</li> <li>Operating temperature: -40°C to +85°C</li> </ul>
	DIMENSIONS (EACH):	<ul> <li>Height: 78.0 cm/30.7 in</li> <li>Width: 68.0 cm/26.8 in</li> <li>Depth: 3.0 cm/1.2 in</li> <li>Weight: 6.2kg</li> </ul>
	SOLAR EXTENSION CABLES:	<ul> <li>Quantity: 2 (one red, one black)</li> <li>Length: 90 cm, from panel junction box</li> <li>Number of cores: 1</li> <li>Conductor size: 4mm2</li> <li>Connector type: MC4 male/female</li> <li>Double insulation</li> </ul>
ACCESSORIES	EXTRA CONNECTORS:	One set of MC4 parallel branch connectors male/female for 200W kit     Compatible with BLUETOWN Power Unit Lite
MOUNTING	MOUNTING POSSIBILITIES:	+ Pole: used together with the Pole mount for BLUETOWN Solar Panel 100 W/200 W
BLUETOWN SO	DLAR PANEL OPTIONS	
	BLUETOWN Solar 100 W, 1 panel	BLUETOWN Solar 100W with 1 panel and MC4 connectors Part#: BT-840-00006: With 90 cm solar cables included Part#: BT-840-00007: With 10 meter solar cables included
	BLUETOWN Solar 200W, 2 panels	BLUETOWN Solar 200W with 2 panels, MC4 connectors and 1 Y-cable connectors. Part#: BT-840-00004: With 90 cm solar cables included Part#: BT-840-00005: With 10 meter solar cables included

# DATASHEET BLUETOWN SOLAR AND ACCESSORIES FOR POWER UNIT LITE



#### POLE MOUNT FOR BLUETOWN SOLAR 100W/200W

The Pole Mount for BLUETOWN Solar 100W/200W is a solar panel mount specifically designed and dimensioned by BLUETOWN for the BLUETOWN Solar 100W and 200W panels to be installed at the top of a supporting pole.

PHYSICAL	PANEL COMPATIBILITY:	Works with BLUETOWN Solar 100W, 1 panel, and BLUETOWN Solar 200W, 2 panel variants
	TILT:	Adjustable tilt from 20-45 deg
	MATERIAL:	Anodized aluminium
	DIMENSIONS (INSTALLED 20DEG):	<ul> <li>Height (approx.): 102.2 cm/40.2 in</li> <li>Width: 75.6 cm/29.8 in</li> <li>Depth (approx.): 113.7 cm/44.8 in</li> <li>Weight: 4.4kg</li> </ul>
MOUNTING	POLE DIAMETER:	• 50-150mm: 2 x V-bolts included
IMAGE		

ACCESSORY OPTIONS Select any of the accessory options below.				
	ACCESSORY OPTION 1 L-Mount for radio devices	<ul> <li>L- Mount for mounting radio equipment such as Wi-Fi access points, directional microwave antennas, video cameras, etc.</li> <li>Can be mounted on walls and poles.</li> <li>Part#: BT-540-00188: L-bracket wall mount 33cm</li> <li>Part#: BT-540-00157: L-bracket wall mount 33cm, with screws</li> </ul>		